

RodeoTM


Telescopic Nail
Catalogue

Free to Grow!




Lean

- Optimized and streamlined instrumentation
- Sterile single-use implants and tools for optimal efficiency and cost reduction



The Rodeo Telescopic Nail
is intended to be used in pediatric patients
(older than 18 months)



Anchor end cap

Detail of the telescopic mechanism

Male nail anchor

Safe

- No nail cutting required, reduced number of surgical steps and efficient sliding of the nail components
- Patented implant and instrumentation allowing for a minimally invasive surgical approach
- Designed to have a good stability throughout the bone growth phase

Versatile

- Multiple diameters and lengths available to accommodate different patient anatomies
- Designed to offer a user-friendly technique



Benefit to Surgeons

- Multiple sizes available: 3.5-4.0-4.5-5.0-6.0mm
- Specific design of the anchor end cap to respect the bone during the fixation and have a solid anchorage of the nail
- Optimized and streamlined instrumentation
- Sterile implants and instruments ready to use
- Streamlined, precise surgical steps keep the nail aligned within intramedullary canal
- Designed to offer a user-friendly technique
- Epiphyseal pin designed for a solid distal anchorage of the nail



Benefit to Patients

- Multiple diameters and lengths available to accommodate different patient anatomies
- Stainless steel implant provides strength and facilitates implant removal
- Patented implant and instrumentation allowing for a minimally invasive surgical approach
- Gentle insertion and fixation of the nail to respect the bone fragility of the patient
- Minimal invasiveness of the device



RodeoTM

Telescopic Nail



Manufactured by:

ORTHOFIX Srl

Via Delle Nazioni 9, 37012 Bussolengo (Verona), Italy

Telephone +39 045 6719000, Fax +39 045 6719380

CE₀₁₂₃

Rx Only

Orthofix products or services referenced herein are trademarks or registered trademarks of Orthofix SRL and its group of companies. All rights reserved.

orthofix.com

TN-2308-PL-E0 A 12/23



Distributed by:

